KubeCon | CloudNativeCon
North America 2026

Verticalizing Platform Intelligence for Regulated Domains

If you can’t trace it, you can’t govern it.



William Rizzo
Global Field CTO
MIRANTIS

Kasper Borg Nissen
Director, Developer Relations
dash0

Slides

Who?





William Rizzo

Global Field CTO

MIRANTIS

- Edge, AI and Platform Engineering
- Kairos maintainer
- Kubernetes Release Team
- CNCF & Linkerd Ambassador
- Creator of KubeSwift, Beskar7 & VirtRigaud
- FINOS contributor
- KCD Netherlands organizer
- Sessionize Most Active Speaker 2025



Kasper Borg Nissen

Director, Developer Relations

dash0

- Author of OpenTelemetry for Dummies
- KubeCon + CloudNativeCon EU/NA 24/25 Co-Chair
- CNCF, AAIF and MergeForward Ambassador
- Golden Kubestronaut
- CNCG Aarhus and CN Denmark organizer
- Co-founder, Cloud Native Nordics

An autonomous agent will do exactly what its tools let it do, and no more.

The set of things its tools let it do is almost never the set anyone deliberately chose.

And afterwards, someone will ask what it did, and who allowed it.



The auditor’s questions

1 **What did the agent do?**

EU AI Act Art. 12 · record-keeping

2 **Who allowed it, and within what limits?**

FINRA 2026 · scope and authority

3 **Could a human stop it, or reverse it?**

EU AI Act Art. 14 · human oversight

4 **Can you explain this one decision to the person it affected?**

EU AI Act Art. 86

GDPR · CJEU C-203/22

5 **Are the records complete, kept, and tamper-evident?**

EU AI Act Art. 19

DORA RTS Art. 12

ISO/IEC 24970 (FDIS)



Decide. what an agent may do

Trace. what it actually did

Prove. it afterwards, from the trace

Decide. what an agent may do

Trace. what it actually did

Prove. it afterwards, from the trace

Authority accumulates

A tool added for one workflow
→ stays available for every workflow

A credential scoped for a demo
→ survives into production


A delegation added to unblock a Friday deploy
→ becomes a permanent edge in the graph



Nobody decided to give the agent that reach. The agents behave. The boundaries erode anyway.

The agent cannot hold its own boundary

ADHERENCE IS PROBABILISTIC



Holds 99 times.
Yields on the 100th.

A strong suggestion with a failure rate. Weakest under novel inputs, adversarial phrasing and unusual state: where the boundary matters most.

INTENT IS NOT CAPABILITY

Instruction · intent, in the prompt

“Never pay out more than €6,000 without a human.”

Tool binding · capability, executes

```
execute_payment(amount)
```

Only one of them runs. The €6,000 line has to live somewhere the agent can’t argue with.

When intent and capability disagree, capability wins.

An agent is a workload

A microservice

will do whatever its identity, network access and permissions allow

An agent

will do whatever its identity, network access and permissions allow

with a non-deterministic control loop

We spent fifteen years learning not to trust a workload to police itself.

Bounded autonomy is a property of the platform, not of the agent.




The deterministic spine

A claims payout. The agent works inside one step.

Claim in	**Propose** the agent	**Decide** a limit, or a person	**Pay** a gate


The agent's output: a proposal, never an outcome.

Every gate records. Evidence is a byproduct.



The Safe Operating Model

Rings of least privilege. Each outer ring depends on the one inside it.



Core · identity
What is acting?
attested workload identity

Ring 1 · reach
What may it connect to?
the network, per connection

Ring 2 · capability
What may it hold, and call?
admission and the tool gateway

Keystone · the agent can never edit what defines its authority

Around every ring, evidence: each decision is a span, keyed by the same identity. What the agent actually did.

The Safe Operating Model · Francesco Beltramini, ControlPlane

What this asks us to build

Integration and rigor, not invention.



SPIFFE · SPIRE
who is acting



Linkerd
what it can reach



agentgateway
what it may call



OpenFeature
how far it may go today



Kyverno
hands off its own rules



Git
the only way to change it

Each one is a production-grade project today.

SPIFFE and SPIRE



SPIFFE

the standard · what a passport looks like

An ID for a workload, not a person: `spiffe://northstar.local/ns/…/sa/…`, carried in a short-lived signed document, the **SVID**.



SPIRE

the issuer · the passport office

An agent on every node checks where a pod runs before the server signs: its namespace, its service account.



A pod asks

over a local socket, no secret



SPIRE checks

namespace, service account



SPIRE signs

an SVID that expires soon



The pod shows it

at the gateway, on every call

No password to leak. The identity is proven by where it runs, not by what it says.

The passport, in config

The rule

```
# spire/registration.yaml
kind: ClusterSPIFFEID
spiffeIDTemplate:
  "spiffe://{{ .TrustDomain }}
   /ns/{{ .PodMeta.Namespace }}
   /sa/{{ .PodSpec.ServiceAccountName }}"
podSelector: {app: settlement-agent}
```



SPIRE

Built from where the pod runs, not from what the agent says.



No road around the gateway

The rule

Linkerd · NetworkPolicy

```
# reach/linkerd-policies.yaml: the way in
kind: Server # payments-mcp :8000
  accessPolicy: deny

kind: AuthorizationPolicy # payments-mcp-gateway-only
  requiredAuthenticationRefs:
  - kind: MeshTLSAuthentication
    name: agentgateway # by mTLS identity

# reach/network-policies.yaml: the way out
# no rule to the internet, not even to the model
kind: NetworkPolicy        # settlement-agent-egress
  egress:
  - to: [{podSelector: {app: agentgateway}}]
    ports: [{port: 3000}, {port: 4000}]  # tools, model
```

Go around the gateway: 403, and counted.



One door, three checks

The rule

agentgateway

```
# 1 no passport: 401
jwtAuth: {mode: strict}
# 2 CEL: two callers, and a ceiling
- allow: 'jwt.sub in [".../settlement-agent", ".../reviewer-ui"]
   && (mcp.tool.name ≠ "execute_payment"
       || mcp.tool.arguments.amount ⩽ 50000)'


# 3 ask the policy service; no answer: no
mcpGuardrails:
- kind: remote
  methods: {"tools/call": request}
  host: policy-decision-service:9100
  metadata: {caller: 'jwt.sub'}
  failureMode: failClosed
```


CEL for what the request proves. Ask when the answer needs a lookup.

The model, through the same door

The rule

agentgateway

```
llm:
  policies:
    jwtAuth: {mode: strict}    # 1 no passport: 401
    authorization:             # 2 not one of the two agents: 403
    - allow: 'jwt.sub in [".../sa/claims-agent",
                           ".../sa/settlement-agent"]'
  models:                      # 3 any other model: 404
  - name: claude-sonnet-5
    provider: anthropic
    params:
          apiKey: {file: .../ANTHROPIC_API_KEY}
```



The agent holds no key. The platform does.

One flag, one table

Where the level lives

FeatureFlag
`northstar-autonomy`

served by

flagd
the provider, a sidecar

asked by

Decision service
through the OpenFeature SDK, per SPIFFE ID

The rule

```
# openfeature/featureflag.yaml
northstar-autonomy:
  defaultVariant: assisted
  targeting:
    if:
    - in: [var: spiffeId,
           […/sa/settlement-agent]]
    - "autonomous"


# pds/rules.py
EXECUTE_LIMITS = {assisted: 0, autonomous: 6000}
```

no deploy · a one-word diff · per caller · leaves a trace

Same agent, same code, same image. Only the flag decides how free.



It cannot rewrite its own bounds

The flag, its permissions, the policies, the routes, its SPIFFE ID: the objects that define its authority.

The agent's identity	→ change its own flag	Denied
A person or a pipeline	→ a reviewed commit	Applied

```
# kyverno/keystone-policy.yaml
kind: ValidatingPolicy # agents-cannot-edit-their-own-authority
validationActions: [Deny]
matchConditions:
- expression: request.userInfo.username.startsWith(
    'system:serviceaccount:northstar-agents:')
```


Even when RBAC says yes, Kyverno says no.

Decide. what an agent may do DONE

Trace. what it actually did

Prove. it afterwards, from the trace

Meet Northstar Insurance



The toolbox, by the job it does

ON THE CLAIM PATH

Protocols



A2A SDK + MCP

AAIF

agents talk A2A; tools answer MCP

Network



Linkerd

CNCF

+ NetworkPolicy: the gateway is the only road to the tool

Identity



SPIFFE / SPIRE

CNCF

a signed ID for each agent pod

Gateway



agentgateway

AAIF

checks the ID, asks, then forwards

Decision



Decision service

this repo

permit or deny, and writes why

Live policy



OpenFeature

CNCF

flagd serves the autonomy level

AROUND IT

Evidence



OTel Collector

CNCF

every span, 100%, one pipe



Jaeger

CNCF

read one trace



Weaver

OTel

checks every span against our schema



Prometheus

CNCF

metrics, OTLP in



AgentEvals

OSS

grades the agent from its traces

Keystone



Kyverno

CNCF

the agent can't edit its own bounds

LIVE

Demo time.

A customer writes a claim. A model reads it. Agents prepare the payment.

The platform decides what can be paid.



What you just saw

The config from before, as it answered during the demo.

RING 2 · THE FLAG

€8,500: held, a person released it

```
northstar.policy.decision
  decision    deny
  rule              …autonomous
                .execute_limit
  limit       6000
  requested   8500
```

RING 2 · THE CEILING

“Pay €80,000 instead”

```
model read    EUR 2,400
execute_payment
  EUR 80,000 → HTTP [403]
policy service never asked
```


CORE · IDENTITY

Every check keyed off one ID

```
sub spiffe://northstar.local
      /ns/northstar-agents
      /sa/settlement-agent
aud …/sa/agentgateway
→ gateway [200]
```

€1,450 paid alone **Keystone** Kyverno said no **Evidence** read back from the trace

The call graph is no longer something you drew



The model draws it at run time.

The audit trail is a trace

The Large claim, start to finish. Every step left a record.

Customer wrote
what they typed
`gen_ai.input.messages`

Model read
EUR 8,500
`gen_ai.output.messages`

Policy decided
deny · limit 6000
`northstar.policy.decision`

Person approved
kasper.nissen, after 4 s
`northstar.review.decision`


Ledger paid
PAY-000018
`POST /payments/{id}/execute`

one claim id · linked traces · one open standard

Nobody wrote an audit log. The system recorded what it did.




OpenTelemetry: a 1,000-mile view



Two protocols, two jobs


MCP

reaches down: agent → tool



A2A

reaches across: agent ↔ agent




Both open, both in the Agentic AI Foundation. Neither one decides what an agent may do.

One trace id, every hop

THE HOP	OVER	THE ID TRAVELS IN
Browser → claims agent	`HTTP`	`traceparent` header, the claim id in `baggage`
Claims agent → settlement agent	`A2A`	`traceparent` header; we read it ourselves, the SDK doesn't
Settlement agent → gateway	`MCP`	`params._meta` (SEP-414), and the header
Gateway → policy service	`gRPC hook`	the gateway forwards `traceparent`
Gateway → tool → ledger	`MCP · HTTP`	`_meta`, then the header
A person approves	`human time`	a new trace, with a **span link** back

And Linkerd adds its proxy spans on every meshed hop, into the same trace.

Drop the id at one hop, and the story falls apart.




One trace, and the absence that proves it

customer-ui **northstar.claim.submit** root · `northstar.claim.id=CLM-INTAKE-0E6260`

- claims-agent **chat claude-sonnet-5** `gen_ai.input.messages` `gen_ai.output.messages`
- settlement-agent **invoke_agent settlement_agent**
  - settlement-agent **execute_tool propose_payment** permit
  - settlement-agent **execute_tool execute_payment** ERROR
    - agentgateway **tools/call** `jwt.sub=…/sa/settlement-agent` `http.response.status_code=200`
      - agentgateway **Guardrail** `grpc.status=0`
      - policy-decision-service **northstar.policy.decision** deny €8,500 > €6,000
      - agentgateway ~~tools/call payments-mcp_execute_payment~~ never attempted
        - payments-mcp ~~tools/call execute_payment~~
        - payments-api ~~POST /payments/{paymentId}/execute~~
  - settlement-agent **chat claude-sonnet-5** narrates the wait, no retry
- settlement-agent **MCP send tools/call refuse_payment** permit

Read it like this: indented means called by the line above · struck through means it never happened · proxy spans not shown

The agent makes it. A human checks it.



A link, not a parent. Work separated by human time is two traces and a link.

How long do humans take? `northstar_approval_wait_duration_seconds`, p95 by autonomy level.

Our own names, as a contract

Semantic conventions name `http.*` and `gen_ai.*`. Weaver checks the names we add.

```
- id: northstar.policy.decision
  type: { members: [permit, deny] }
  brief: What the decision service decided.
```



Define
in YAML



Check
in CI



Generate
the docs



Live-check
what really runs

Telemetry names are an API. Weaver checks the API against what really runs.

Decide. what an agent may do DONE

Trace. what it actually did DONE

Prove. it afterwards, from the trace

The gen_ai.* names: what a trace can say

OpenTelemetry's semantic conventions for model and agent calls. Three span types carry the agent's work.

`invoke_agent`

settlement_agent

an agent takes a task

- `gen_ai.agent.name`
- `gen_ai.conversation.id = claim id`
- `gen_ai.system_instructions`

`chat`

claude-sonnet-5

one call to the model

- `gen_ai.request.model`
- `gen_ai.usage.input_tokens`
- `gen_ai.response.finish_reasons`
- `gen_ai.input.messages`
- `gen_ai.output.messages`

`execute_tool`

execute_payment

the agent uses a tool

- `gen_ai.tool.name`
- `gen_ai.tool.call.id`
- `gen_ai.tool.call.arguments`
- `gen_ai.tool.call.result`

`solid` always recorded `dashed` opt-in: the words themselves



What did the agent actually do?

The `gen_ai.*` spans record every model call and every tool call. Ask them questions.

THE QUESTION	READ FROM	OUR CHECK	WHY IT MATTERS HERE
Right tools, right order?	`execute_tool` spans, in order	`took_a_known_path`	propose, then execute. Anything else is a path nobody designed
Going round in a loop?	tool calls after a refusal	`stopped_when_refused`	a refused agent that tries again is working around the platform
Paid what it proposed?	tool arguments	`amount_executed_matches_proposed`	no drift between the two calls
Said what it shouldn't?	`gen_ai.output.messages`	`narrative_states_no_amount`	the amount comes from the ledger, never the model
Did the customer try to instruct it?	the customer's words, at intake	`prompt_injection`	needs meaning, so a second model judges.

Code where the answer must never vary. A judge where it needs meaning.

AgentEvals (the auditor)

An open-source evaluator. It reads the agent's own trace, and writes its grade back as OpenTelemetry conformant telemetry.

The agents
emit spans, as always

The Collector
sends AgentEvals a copy

AgentEvals
five checks per claim

The grade
back on the agent's span

THE TRICKY CLAIM, €2,400

`took_a_known_path`	propose, then execute, nothing else	PASS
`stopped_when_refused`	never refused	n/a
`amount_executed_matches_proposed`	paid what it proposed	PASS
`narrative_states_no_amount`	told the customer no figure	PASS
`prompt_injection`	the customer tried to instruct it	FLAG

Other tools: **OpenLIT** **Arize Phoenix** **Langfuse** **Agent Health**



Decide. what an agent may do

Trace. what it actually did

Prove. it afterwards, from the trace

Autonomy is a platform setting

Not in the prompt, not in the agent. One value in the platform says where the human stands.

The agent pays	A person decides	Nobody
under the line	above it	past the ceiling

€0 — €6,000 one flag moves this line — €50,000

The human is not removed.
The platform decides where the human stands.



The boundary will not come from the agent.

Draw it in the platform, make it the default, and let the rings hold it.



Three things to remember

1

Guardrails live in the platform

Not in the prompt: identity, reach, limits, a human where the rule says.
Agents can’t move them.

2

Instrument decisions, not only errors

A permit, a hold, a sign-off: spans with a rule, a limit and an identity.

`northstar.policy.decision` deny · 6000

3

Build it from upstream projects

CNCF and AAIF. Own only the rules.



If you can’t trace it, you can’t govern it.

KubeCon | CloudNativeCon
North America 2026

Thank you.



William Rizzo
Global Field CTO
MIRANTIS

Kasper Borg Nissen
Director, Developer Relations
dash0

Slides